



GUANGDONG UNIHOPPER PRECISION TECHNOLOGY GROUP CO.,LTD

Flagship showroom: Rm2404 Building B, Fengxing Plaza, No.242, Tianhe Rd, Tianhe District, Guangzhou City

Headquarter: Unihopper industrial park, No.9 Chuangye road, High-tech Industrial Development Zone ,Zhaoqing City, Guangdong Province, China

TEL: +86-758 3212918/3212919
FAX: +86-758 3212921
Email: pansheng@unihopper.biz

www.unihopper.biz/en

2603.1K



Official wechat



Official website

On the premise of not influence the function and uality,Grasshopper reserves the right of changing the size,outlook without notice.
There will be a little color difference between the product in presswork and definite object.The correct size of the product subject to definite object.



CUSTOM FURNITURE LIGHTING SYSTEM

Designed by UNIHOPPER

CUSTOM FURNITURE LIGHTING SYSTEM



CUSTOM FURNITURE LIGHTING SYSTEM



Unihopper Intelligent industrial park



Unihopper R & D Building

MILESTONES

2003

Unihopper launched the first generation one-way soft closing drawer box.



2007

Unihopper founded a union design group with designers from Europe and Columbia, and successfully launch the second generation two-way soft closing drawer box. The concept of twoway soft closing became popular around world ever since.



2005

Unihopper decided to invest with the advanced technology from Europe and construct the production base in Foshan China.



2008

Unihopper set up the marketing center and began to provide quality products and service for Chinese furniture customers.

2010

Unihopper successfully researched and developed the third generation interactive two-way soft closing drawer box and synchronize conceal slide.


2013

The co-designer team successfully researched and developed basket and wardrobe storage system (MOKA).



2015

Unihopper successfully researched and developed the fifth generation interactive two-way soft closing drawer box-Magic box, and successfully hosted the "Night of Unihopper" in Beijing wardrobe annual conference.



2016

Unihopper successfully hosted "Unihopper Global summit" in Guangzhou, and announced Unihopper exported more than 90 countries.



2017

Unihopper successfully hosted the second "Unihopper Global summit" . Same time, Unihopper Business College was founded.

2019

Unihopper successfully hosted the third "Unihopper Global summit", and founded the new Unihopper production base and Unihopper brand-day. Same year, Unihopper researched and developed the Phantom kitchen storage system and Co-box.



2020

Unihopper become one of the home decoration drafting committee for Hinge, slide and basket. In the same year, Unihopper won the National High-tech Enterprise. Same year, VANKA, COKA wardrobe system have been introduced to the market.



2021

Unihopper Zhaoqing production base put into use officially, in the same year, LINA, HUGGEN series have been introduced to the market.



2022

Unihopper international R&D center and the flagship showroom in the new headquarters fully open to the public, same time, Unihopper establish product R&D centre and product laboratory together with Vanke caizhu.

2023

Unihopper held the first Designers Competition "Unihopper Cup", initiating the first action in the Industry by making a solid sound for the home designer in China. Same year, Venka wardrobe system gave been introduced to the market.



2024

Unihopper held the second Designers Competition "Unihopper Cup" successfully, in the same time, the first "Unihopper Cup" for installation skills competition was launched. Same year, MONIKA, MONA storage series products have been launched successfully.



BRIEF INTRODUCTION

Unihopper a global hardware brand with designs and cultural concepts inspired by Europe, embracing european essence to serve the Global Market, insisit in commitment to globalization. Unihopper qffering the Uni-products, Uni-design, and Uni-service to every corner of the world.

After years of development, Unihopper has export business in 108 countries and regions around the world, such as Netherlands, Canada, Russia, Slovenia, Argentina, Korea, Iran, Spain, Portugal, Ireland, Saudi Arabia, Colombia, South Africa, India, Southeast Asia Regions and China HongKong, Macao and Taiwan regions and so on; and 46 of them are sole agents, and now, Unihopper has become a major suppliers for many well-known kitchen and bathroom cabinets and home brands in the world.

In 2005, Unihopper set up a production base and established a large storage center of more than 200,000 suqare meters in Guangdong Province in China, and the first stage of 120,000 square meters has been put into use in 2021. The automation and digitalization level of the Unihopper industrial park has led the new trend of the industry.

As one of the best name and provider for the high-end customized furniture hardware industry, Unihopper has always upheld the brand values of "European quality, Chinese price", and now, has become a leading brand popularizing in many home furnishing companies and consumers all over the world. In the future, Unihopper will increase more investment in space enlarging, strengthen multi-dimensional development including product application, intelligent scene introduction, online and offline channel integration, striving to become a hardware brand that better understands high-end home decor and the most inportant and most respected hardware manufacturers in the world.



THE LAYOUT OF UNIHOPPER ALL OVER THE WORLD

46

Global exclusive agency

108

Global business dealings


150

National service agency cities

200+

national brand franchisees

80+



NORTH AMERICA

SOUTH AMERICA

CENTRAL EUROPE

NORTHERN EUROPE

SOUTHERN EUROPE

AFRICA

CENTRAL ASIA

CEANIA

SOUTHEAST ASIA

SOUTH ASIA

COMPANY VISION

CORPORATE MISSION:

To meet people's yearning for a better life is the mission pursuit of Unihopper

VALUES:

Integrity, altruism, struggle, innovation, understanding, common progress





CUSTOM FURNITURE LIGHTING SYSTEM





L



CUSTOM FURNITURE LIGHTING

SYSTEM

SPACE APPLICATION LIGHTING SYSTEM

Light and shadow manipulate the spatial hierarchy between light and dark. Unihopper custom home lighting system in bathroom, balcony, kitchen, bedroom, living room, office spaces,sculpts the beauty of optical craft.






In line with the concept of minimalist design, the light is hidden in the lines, with a sense of fashion and space, creating a perfect atmosphere to the point.






Summarized in space, but not restricted by space. The beauty is vividly restored in static form.



Two kinds of LED strip design, both stable and durable traditional technology, but also in line with the new trend of innovative technology.




S series-Welding free recessed light Strip
LT1207.L.3M.NW.DG
P. 025




C series-Welding free recessed light Strip
LT1207.C.3M.NW.DG
P. 027



S series-Welding free recessed 45degree light strip
LT1208.L.3M.NW.DG
P. 029




S series-Welding free 18mm shelf rear-mount light
LT2113.L.3M.NW.DG
P. 043




C series-Welding free 18mm shelf rear-mount light
LT2113.C.3M.NW.DG
P. 045



S series-Welding free 8mm glass rear-mount light
LT2114.L.3M.NW.DG
P. 047



C series-Welding free recessed 45degree light strip
LT1208.C.3M.NW.DG
P. 031



S series-Welding free recessed light strip with borderless design
LT1209.L.3M.NW.DG
P. 033



C series-Welding free recessed light strip with borderless design
LT1209.C.3M.NW.DG
P. 035




C series-Welding free 8mm glass rear-mount light
LT2114.C.3M.NW.DG
P. 049



S series-Silicone Light
· LT1222.L.90.WW
· LT1224.L.90.WW
· LT1223.L.90.WW
P. 051




GATED SWITCH
· E37.IR
· E37.TS
· E37.BR
· E37.DD
· E37.SD
P. 055



C series-Welding free recessed ultra-thin light strip
LT1210.C.3M.NW.DG
P. 037



C series-Welding free recessed ultra-narrow light strip
LT1211.C.3M.NW.DG
P. 039



C series-Welding free Surface-Mounted Corner Cabinet Light
LT1212.C.3M.NW.DG
P. 041

CUSTOM FURNITURE LIGHTING SYSTEM

POWER SUPPLY
· E38.120
· E39.150
· E40.180
· E41.200
· EC38.120
· EC39.150
· EC40.180
· EC41.200
P. 059



WIRELESS SENSOR
· E37.IR
· E37.TS
· E37.BR
· E37.DD
· E37.SD
P. 059






Galaxy S Series – welding free recessed light Strip


→ FEATURES


- Low power consumption with high efficiency. Premium LED chips and efficient heat dissipation. PVC diffuser ensures soft, even lighting.
 - SMD:150pcs/meter,83R,soft light
- Recessed design, flush with the groove. Flush diffuser design provides a wider lighting area.
 - Detachable plug design for separate light and wiring
- Color: Grey

→ TECHNICAL DETAILS

								
MODEL	LENGTH x WIDTH x HEIGHT(mm)	POWER (W)	CCT (K)	LIGHT SOURCE	VOLTAGE (V)	COLOR RENDERING INDEX (CRI)	SWITCH	DRIVE
LT1207.L.3M. NW.DG	3000x10x10	24	WW:3000K NW:3500K CW:4000K	SMD:150p/m	12	≥ 83	Extenal switch	Constant voltage driver
LT1207S.BS.BK	   End cap*2Quick mounting clip*2Black pure cooper wire1.5M*1							


→ INSTALLATION INSTRUCTION





Cut-out dimenations: 10x10mm

Intallation with quick mounting clips: 11x11mm



*Customizable length, freely cut to size



Galaxy C Series– welding free recessed light Strip

→ FEATURES

- Low power consumption with high efficiency. Premium LED chips and efficient heat dissipation. PVC diffuser ensures soft, even lighting.
 - Detachable plug design for separate light and wiring
 - Color: Grey
- Recessed design, flush with the groove. Flush diffuser design provides a wider lighting area.
- COB:320 pcs/meter,90R,Soft and clear light

→ TECHNICAL DETAILS

MODEL	LENGTH x WIDTH x HEIGHT(mm)	POWER (W)	CCT (K)	LIGHT SOURCE	VOLTAGE (V)	COLOR RENDERING INDEX (CRI)	SWITCH	DRIVE
LT1207C.3M. NW.DG	3000x10x10	24	WW:3000K NW:3500K CW:4000K	COB:320p/m	12	≥90	Extenal switch	Constant voltage driver
LT1207C.BS.BK	End cap*2 Quick mounting clip*2 Black pure cooper wire1.5M*1							

→ INSTALLATION INSTRUCTION

Cut-out dimenations: 10x10mm

Intallation with quick mounting clips: 11x11mm

*Customizable length, freely cut to size



Galaxy S Series– Welding free recessed 45degree light strip


→ FEATURES


- Low power consumption with high efficiency. Premium LED chips and efficient heat dissipation. PVC diffuser ensures soft, even lighting.
 - SMD:150pcs/meter,83R,soft light
- Recessed design, flush with the groove; 45° diffuser design delivers visible light while keeping the fixture hidden.
 - Detachable plug design for separate light and wiring
 - Color: Grey

→ TECHNICAL DETAILS

								
MODEL	LENGTH x WIDTH x HEIGHT(mm)	POWER (W)	CCT (K)	LIGHT SOURCE	VOLTAGE (V)	COLOR RENDERING INDEX (CRI)	SWITCH	DRIVE
LT1208.L.3M. NW.DG	3000x10x10	24	WW:3000K NW:3500K CW:4000K	SMD:150p/m	12	≥83	External switch	Constant voltage driver
LT1208S.BS.BK	End cap*2 Quick mounting clip*2 Black pure cooper wire1.5M*1							


→ INSTALLATION INSTRUCTION





Cut-out dimenations: 10x10mm

Intallation with quick mounting clips: 11x11mm



*Customizable length, freely cut to size



Galaxy C Series– Welding free recessed 45degree light strip

- FEATURES
- Low power consumption with high efficiency. Premium LED chips and efficient heat dissipation. PVC diffuser ensures soft, even lighting.
 - Recessed design, flush with the groove; 45° diffuser design delivers visible light while keeping the fixture hidden.
- COB:320 pcs/meter,90R,Soft and clear light
 - Detachable plug design for separate light and wiring
 - Color: Grey

→ TECHNICAL DETAILS





MODEL	LENGTH x WIDTH x HEIGHT(mm)	POWER (W)	CCT (K)	LIGHT SOURCE	VOLTAGE (V)	COLOR RENDERING INDEX (CRI)	SWITCH	DRIVE
LT1208.C.3M. NW.DG	3000x10x10	24	WW:3000K NW:3500K CW:4000K	COB 320p/m	12	≥90	External switch	Constant voltage driver


LT1208C.BS.BK


End cap*2

Quick mounting clip*2

Black pure cooper wire1.5M*1


→ INSTALLATION INSTRUCTION





Cut-out dimenations: 10x10mm

Intallation with quick mounting clips: 11x11mm



*Customizable length, freely cut to size




Galaxy S Series – Welding free recessed light strip with borderless design


→ FEATURES


- Low power consumption with high efficiency. Premium LED chips and efficient heat dissipation. PVC diffuser ensures soft, even lighting.
 - SMD:150pcs/meter,83R,soft light
- Recessed design, flush with the groove. Flush diffuser design provides a wider lighting area.
 - Detachable plug design for separate light and wiring
 - Color: Grey

→ TECHNICAL DETAILS

								
MODEL	LENGTH x WIDTH x HEIGHT(mm)	POWER (W)	CCT (K)	LIGHT SOURCE	VOLTAGE (V)	COLOR RENDERING INDEX (CRI)	SWITCH	DRIVE
LT1209.L.3M. NW.DG	3000x10x10	24	WW:3000K NW:3500K CW:4000K	SMD:150 p/m	12	≥83	Extenal switch	Constant voltage driver
LT1209S.BS.BK	   End cap*2Quick mounting clip*2Black pure cooper wire1.5M*1							


→ INSTALLATION INSTRUCTION





Cut-out dimenations: 10x10mm

Intallation with quick mounting clips: 11x11mm



*Customizable length, freely cut to size




Galaxy C Series – Welding free recessed light strip with borderless design


→ FEATURES


- Low power consumption with high efficiency. Premium LED chips and efficient heat dissipation. PVC diffuser ensures soft, even lighting.
 - Detachable plug design for separate light and wiring
 - Color: Grey
- Recessed design, flush with the groove. Flush diffuser design provides a wider lighting area.
- COB:320 pcs/meter,90R,Soft and clear light

→ TECHNICAL DETAILS

								
MODEL	LENGTH x WIDTH x HEIGHT(mm)	POWER (W)	CCT (K)	LIGHT SOURCE	VOLTAGE (V)	COLOR RENDERING INDEX (CRI)	SWITCH	DRIVE
LT1209.C.3M. NW.DG	3000x10x10	24	WW:3000K NW:3500K CW:4000K	COB:320 p/m	12	≥90	Extenal switch	Constant voltage driver
LT1209C.BS.BK	 End cap*2  Quick mounting clip*2  Black pure cooper wire 1.5M*1							


→ INSTALLATION INSTRUCTION





Cut-out dimenations: 10x10mm

Intallation with quick mounting clips: 11x11mm



*Customizable length, freely cut to size



Galaxy C Series – Welding free recessed ultra-thin light strip


→ FEATURES


- Low power consumption with high efficiency. Premium LED chips and efficient heat dissipation. Pressed PVC diffuser ensures soft, even lighting.
 - COB:320 pcs/meter,90R,Soft and clear light
- Ultra-thin recessed design, flush with the groove. Fits 8mm glass.Flush diffuser design provides a wider lighting area.
 - Detachable plug design for separate light and wiring
- Color: Grey

→ TECHNICAL DETAILS

								
MODEL	LENGTH x WIDTH x HEIGHT(mm)	POWER (W)	CCT (K)	LIGHT SOURCE	VOLTAGE (V)	COLOR RENDERING INDEX (CRI)	SWITCH	DRIVE
LT1210C.3M. NW.DG	3000x10x5	24	WW:3000K NW:3500K CW:4000K	COB 320p/m	12	≥90	Extenal switch	Constant voltage driver
LT1210C.BS.BK	  End cap*2 Black pure cooper wire1.5M*1							

→ INSTALLATION INSTRUCTION





Cut-out dimenations: 10x6mm



*Customizable length, freely cut to size



Galaxy C Series – Welding free recessed ultra-narrow light strip


→ FEATURES


- Low power consumption with high efficiency. Premium LED chips and efficient heat dissipation. Pressed PVC diffuser ensures soft, even lighting.
- Recessed design, flush with the groove. Flush diffuser design provides a wider lighting area.
- COB:320 pcs/meter,90R,Soft and clear light
- Detachable plug design for separate light and wiring
- Color: Grey

→ TECHNICAL DETAILS


								
MODEL	LENGTH x WIDTH x HEIGHT(mm)	POWER (W)	CCT (K)	LIGHT SOURCE	VOLTAGE (V)	COLOR RENDERING INDEX (CRI)	SWITCH	DRIVE
LT1211C.3M. NW.DG	3000x6x10	24	WW:3000K NW:3500K CW:4000K	COB 320p/m	12	≥90	Extenal switch	Constant voltage driver
LT1211C.BS.BK	 End cap*2  Black pure cooper wire1.5M*1							

→ INSTALLATION INSTRUCTION





Cut-out dimenations : 6.5x10mm



*Customizable length, freely cut to size




Galaxy C Series – Welding free Surface-Mounted Corner Cabinet Light


→ FEATURES

- Low power consumption with high efficiency. Premium LED chips and efficient heat dissipation. Pressed PVC diffuser ensures soft, even lighting.
- Easy installation, sleek and concealed. Soft, glare-free light for versatile applications.
- COB:320 pcs/meter,90R,Soft and clear light
- Detachable plug design for separate light and wiring
- Color: Grey

→ TECHNICAL DETAILS

								
MODEL	LENGTH x WIDTH x HEIGHT(mm)	POWER (W)	CCT (K)	LIGHT SOURCE	VOLTAGE (V)	COLOR RENDERING INDEX (CRI)	SWITCH	DRIVE
LT1212.C.3M. NW.DG	3000x10x10	24	WW:3000K NW:3500K CW:4000K	COB 320 珠/米	12	≥90	Extenal switch	Constant voltage driver
LT1212C.BS.BK	 End cap*2  Quick mounting clip*2  Black pure cooper wire1.5M*1							

→ INSTALLATION INSTRUCTION





Galaxy S Series –Welding free 18mm shelf rear-mount light


→ FEATURES


- Low power consumption with high efficiency. Premium LED chips and efficient heat dissipation. Pressed PVC diffuser ensures soft, even lighting.
 - SMD:150pcs/meter,83R,soft light
- Ultra-thin and stylish. No groove or panel removal needed. Up-and-down soft, glare-free light. Fits 18mm panels.
 - Detachable plug design for separate light and wiring
 - Color: Grey

→ TECHNICAL DETAILS


								
MODEL	LENGTH x WIDTH x HEIGHT(mm)	POWER (W)	CCT (K)	LIGHT SOURCE	VOLTAGE (V)	COLOR RENDERING INDEX (CRI)	SWITCH	DRIVE
LT2113.L.3M. NW.DG	3000x10x10	24	WW:3000K NW:3500K CW:4000K	SMD:150 p/m	12	≥83	Extenal switch	Constant voltage driver
LT2113S.BS.BK	 End cap*2 Black pure cooper wire1.5M*1							

→ INSTALLATION INSTRUCTION





Shelf depth reduction > 8mm



*Customizable length, freely cut to size



Galaxy C Series – Welding free 18mm shelf rear-mount light


→ FEATURES

- Low power consumption with high efficiency. Premium LED chips and efficient heat dissipation. Pressed PVC diffuser ensures soft, even lighting.
 - COB:320 pcs/meter,90R,Soft and clear light
- Ultra-thin and stylish. No groove or panel removal needed. Up-and-down soft, glare-free light. Fits 18mm panels.
 - Detachable plug design for separate light and wiring
 - Color: Grey

→ TECHNICAL DETAILS

								
MODEL	LENGTH x WIDTH x HEIGHT(mm)	POWER (W)	CCT (K)	LIGHT SOURCE	VOLTAGE (V)	COLOR RENDERING INDEX (CRI)	SWITCH	DRIVE
LT2113.C.3M. NW.DG	3000x10x10	24	WW:3000K NW:3500K CW:4000K	COB 320p/m	12	≥90	External switch	Constant voltage driver
LT2113C.BS.BK	 End cap*2  Black pure cooper wire1.5M*1							

→ INSTALLATION INSTRUCTION





Galaxy S Series – Welding free 8mm glass rear-mount light

→ FEATURES

- Low power consumption with high efficiency. Premium LED chips and efficient heat dissipation. Pressed PVC diffuser ensures soft, even lighting.
- Recessed, easy installation. Soft, uniform light. Fits 8mm glass.
- SMD:150pcs/meter,83R,soft light
- Detachable plug design for separate light and wiring
- Color: Grey

→ TECHNICAL DETAILS

MODEL	LENGTH x WIDTH x HEIGHT(mm)	POWER (W)	CCT (K)	LIGHT SOURCE	VOLTAGE (V)	COLOR RENDERING INDEX (CRI)	SWITCH	DRIVE
LT2114.L.3M. NW.DG	3000x10x10	24	WW:3000K NW:3500K CW:4000K	SMD:150 p/m	12	≥83	Extenal switch	Constant voltage driver
LT2114S.BS.BK	End cap*2 Black pure cooper wire1.5M*1							

→ INSTALLATION INSTRUCTION

Shelf depth reduction > 11mm

*Customizable length, freely cut to size



Galaxy C Series – Welding free 8mm glass rear-mount light

→ FEATURES

- Low power consumption with high efficiency. Premium LED chips and efficient heat dissipation. Pressed PVC diffuser ensures soft, even lighting.
 - Detachable plug design for separate light and wiring
 - Color: Grey
- Recessed, easy installation. Soft, uniform light. Fits 8mm glass.
- COB:320 pcs/meter,90R,Soft and clear light

→ TECHNICAL DETAILS

MODEL	LENGTH x WIDTH x HEIGHT(mm)	POWER (W)	CCT (K)	LIGHT SOURCE	VOLTAGE (V)	COLOR RENDERING INDEX (CRI)	SWITCH	DRIVE
LT2114.C.3M. NW.DG	3000x10x10	24	WW:3000K NW:3500K CW:4000K	COB 320p/m	12	≥90	Extenal switch	Constant voltage driver
LT2114C.BS.BK	End cap*2 Black pure cooper wire1.5M*1							

→ INSTALLATION INSTRUCTION

Shelf depth reduction > 11mm

*Customizable length, freely cut to size




Galaxy S Series - Silicone Light

→ FEATURES


- Low power, high efficiency with premium chip, efficient cooling, anodized body, and pressed Silicone cover for uniform soft light.
- Easy to install, aesthetic and hidden, versatile, and provides soft, non-glare light.
- SMD:168pcs/meter,90R,soft light
- Wire welding process, oxidation-free, deformation-free
- Color: Milky white

→ TECHNICAL DETAILS



MODEL	LENGTH x WIDTH x HEIGHT(mm)	POWER (W)	CCT (K)	LIGHT SOURCE	VOLTAGE (V)	COLOR RENDERING INDEX (CRI)	SWITCH	DRIVE
LT1222.L.90.WW	10000x4x8	8-10	WW:3000K	SMD 168 p/m	12-24	≥90	External switch	Constant voltage driver
LT1224.L.90.WW	10000x6x6		NW:3500K					
LT1223.L.90.WW	10000x4x10		CW:4000K					
			CW:6000K					



→ INSTALLATION INSTRUCTION




Centralized Control Installation Wiring Diagram



Independent Control Installation Wiring Diagram



Hand Swept Sensor: Wave to control the light on and off



Touch Sensor: Long touching switch




Human Sensor: When people get close, it lights up

Door Touch Sensor: Opening & closing the cabinet door will get the light on & off




SURFACE MOUNTED/ INSET MOUNTED HUMAN SENSOR

MODEL	LENGTH x WIDTH (mm)	OPENING DIAMETER (mm)	WIRE LENGTH (m)
E48.IR.BK	12x16	12	2




SURFACE MOUNTED/ INSERT MOUNTED CONTROL DOUBLE DOOR SWITCH

MODEL	LENGTH x WIDTH (mm)	OPENING DIAMETER (mm)	WIRE LENGTH (m)
E48.TS.BK	12x16	12	2




SURFACE MOUNTED/ INSERT MOUNTED TOUCH SWITCH

MODEL	LENGTH x WIDTH (mm)	OPENING DIAMETER (mm)	WIRE LENGTH (m)
E48.BR.BK	12x16	12	2




SURFACE / INSERT MOUNTED HAND SWEEP SENSOR SWITCH

MODEL	LENGTH x WIDTH (mm)	OPENING DIAMETER (mm)	WIRE LENGTH (m)
E48.DD.BK	12x16	12	2



SURFACE / INSERT MOUNTED SINGLE DOOR SENSOR SWITCH

MODEL	LENGTH x WIDTH (mm)	OPENING DIAMETER (mm)	WIRE LENGTH (m)
E48.SD.BK	12x16	12	2



Notes

Notes

